



DONATED FOOD DISTRIBUTING ORGANIZATION APPLICATION

Please complete this application and return it to Whitman County Environmental Health with required supplemental material. If, after review, your organization qualifies as a DONATED FOOD DISTRIBUTING ORGANIZATION, you will be issued an approval letter notifying you of your exempt status.

Name of Organization	
Address	
Contact Person	Phone Number:
Provide the dates, times and locations of food preparation:	
Provide the sources of the food that is distributed:	
Type of food that will be donated to your organization:	
When food is <i>donated</i> to your organization, it will be received (check all that apply):	
<input type="checkbox"/> Hot, donated at 135°F or hotter <input type="checkbox"/> Cold, donated at 41°F or colder <input type="checkbox"/> Frozen <input type="checkbox"/> Shelf stable items	
Check all preparation/process steps that will be done <i>after receiving</i> food at your organization:	
<input type="checkbox"/> Thawing <input type="checkbox"/> Portioning <input type="checkbox"/> Packaging <input type="checkbox"/> Cooking <input type="checkbox"/> Cooling <input type="checkbox"/> Hot Holding <input type="checkbox"/> Cold Holding <input type="checkbox"/> Reheating <input type="checkbox"/> Serving <input type="checkbox"/> Delivery <input type="checkbox"/> Produce Washing <input type="checkbox"/> Food Storage <input type="checkbox"/> Freezing	
When food is <i>distributed</i> to the public, it will be (check all that apply):	
<input type="checkbox"/> Hot, donated at 135°F or hotter <input type="checkbox"/> Cold, donated at 41°F or colder <input type="checkbox"/> Frozen <input type="checkbox"/> Shelf stable items	
Does your organization provide charitable food to the needy?	
<input type="checkbox"/> No <input type="checkbox"/> Yes	
Is your organization a charitable non-profit under Section 501(c) of the federal Internal Revenue Code?	
<input type="checkbox"/> No <input type="checkbox"/> Yes (supporting documentation attached)	
Supplemental Materials Included:	
<input type="checkbox"/> Floor Plan Worksheet <input type="checkbox"/> Food Safety Assurance Plan	

By signing this form, you attest to the accuracy of the information provided, affirm that you will comply with WAC 246-215, and will allow Whitman County Public Health access to the establishment and its records as specified in WAC 246-215.

Signature

Printed Name

Date



FLOOR PLAN WORKSHEET

1. **Sketch the top view (overhead) of your kitchen in the box below.**
2. **Identify and label features including:** hand wash facilities, cooking equipment, hot and cold holding equipment, refrigeration, worktables and preparation areas, storage areas, sanitizing solution bucket locations and serving areas.
3. **Fill out the check list below,** accurately assessing what kitchen features are present in your facility.

Yes	No	
		Plumbed sink (2 compartments or more)
		Dedicated hand wash sink (hot and cold running water, soap, paper towels or air drier)
		Sanitizer available on site at all times (bleach)
		Dish and utensil cleaning capabilities and supplies (dishwashers, 3-compartment sink)
		Refrigerators that maintain $\leq 41^{\circ}\text{F}$, and a thermometer in each refrigerator
		Ovens with ventilation (hood)
		Dry storage areas that are free from contamination (pests, excessive moisture)
		Easily cleanable surfaces in food preparation areas (no cracks, no carpet, sealed floors)
		Regular garbage pick-up
		Covered lighting
		Ability to securely lock food product in location (not accessible to the public)
		All equipment is Commercial (NSF/ANSI certified or equivalent)



FOOD SAFETY ASSURANCE PLAN

The below items are required to assure food safety in a Donated Food Distributing Organization. Please review all Food Safety Assurance items. Sign and return this form to Whitman County Environmental Health.

Receiving Food – Food Condition

The person in charge of a DONATED FOOD DISTRIBUTING ORGANIZATION shall ensure that foods are inspected upon receipt and information is obtained from donors in order to determine:

- Source of the food
- How the food is kept free from contamination during storage, preparation and transport
- How, where, and when the food is prepared
- How the food is kept hot or cold
- How long the food is kept in the temperature zone
- Surplus foods have not been previously served to a person
- Common name of a dry food staple, if repacked from the original container

Food Labels – Alternative labeling

The person in charge of a DONATED FOOD DISTRIBUTING ORGANIZATION may distribute packaged foods without complete label information on each individual container, provided that:

- Each container is labeled with the common name of the food
- The label information is on the master carton or is posted in plain view on a card, sign, or other method of notice at the point of distribution to the consumer

Record Keeping – Receiving record

The person in charge of a Donated Food Distributing Organization receiving potentially hazardous foods or foods that are not potentially hazardous, ready-to-eat foods not prepackaged in a food processing plant shall:

- Keep records for 30 days documenting the source, quantity, type, and receiving dates of the food.

By signing this form, you affirm that you will comply with WAC 246-215 by developing the above standards and protocol's in your DONATED FOOD DISTRIBUTING ORGANIZATION.

Signature

Printed Name

Date



DEFINITIONS

“DONATED FOOD DISTRIBUTING ORGANIZATION” means a charitable non-profit organization under Section 501 (c) of the federal Internal Revenue Code that distributes food free of charge to the needy, as defined by WAC 246-215. This category allows qualifying non-profit organizations to operate exempt from permit. Approved DONATED FOOD DISTRIBUTING ORGANIZATION’s must have sources of donated food and any food processing procedures approved by Whitman County Environmental Health.

“DONOR” means a person, corporation, or other organization that donates food to a DONATED FOOD DISTRIBUTING ORGANIZATION under all provisions of chapter 69.80 RCW, known as Good Samaritan Food Donation Act, as defined by WAC 246-215. Potential donors must be identified and approved by Whitman County Environmental Health in order to donate to a DONATED FOOD DISTRIBUTING ORGANIZATION.

“DONOR KITCHEN” means a kitchen that is used by a donor to handle, store, or prepare food for donation to needy persons through a DONATED FOOD DISTRIBUTING ORGANIZATION and which is not a residential kitchen in a private home, as defined by WAC 246-215. Potential donor kitchens must be identified and approved by Whitman County Environmental Health in order to provide food to a DONATED FOOD DISTRIBUTING ORGANIZATION.

FOOD SUITABLE FOR DONATION

Home-Prepared Foods

DONATED FOOD DISTRIBUTING ORGANIZATIONS are not allowed to accept or serve most types of home prepared foods. However, homemade baked goods that do not need refrigeration to remain safe (such as cookies, cakes, fruit pies, and breads) may be received from DONORS.

Commercially Packaged Foods Not Needing Refrigeration

The donation of commercially canned, boxed, and otherwise packaged foods is encouraged.

Fresh Produce Donations

Food donations may include fresh produce, including home-grown fruits and vegetables. Fresh produce should be protected from contamination and receive final preparation, such as washing and cutting, in a DONOR KITCHEN or licensed kitchen.

Food Prepared in a DONOR KITCHEN

Except for baked goods (such as bread, cookies, and fruit pies), DONATED FOOD DISTRIBUTING ORGANIZATIONS may not accept foods prepared in a home kitchen. Instead, foods for donation should be prepared in either a DONOR KITCHEN or a commercial food establishment, such as a restaurant.



A DONOR KITCHEN is a publicly available kitchen in a faith-based organization, community center, or other site. The DONOR KITCHEN does not need to have a health permit, but must have basic facilities such as adequate handwashing, dishwashing, refrigeration, and cooking equipment. It must have a safe water supply, be protected from weather and animals, and be cleaned before food preparation starts.

Uninspected Meat Donations

Meat from game animals may be donated to a charitable organization if approved by the local health agency and if donated by a law enforcement officer or a person with a valid hunting license issued by the Washington Department of Fish and Wildlife. A meat cutter approved by the local health agency must process the game meat. The meat needs to be labeled: "UNINSPECTED WILD GAME MEAT, THOROUGHLY COOK TO 165°F INTERNAL TEMPERATURE."

Livestock, poultry, or rabbits may be donated alive to a charitable organization if raised by a member of an approved youth club, such as 4H. A meat cutter approved by the local health authority must process the livestock, poultry, or rabbit meat. The meat needs to be labeled: "UNINSPECTED MEAT, THOROUGHLY COOK TO 165°F INTERNAL TEMPERATURE."

Food Donation by Licensed Food Establishments

Licensed food establishments are encouraged to donate surplus foods to DONATED FOOD DISTRIBUTING ORGANIZATIONS. Because licensed food establishments have commercial-grade equipment, unlike many DONOR KITCHENS, these may safely include foods that have gone through typical multiple food preparation steps and handled with the same consideration for safety as the food sold to customers.

Perishable foods past the original manufacturer's "sell by" (or "best if used by") date are suitable for donation, but not foods past a "use by" date. Other items not suitable for donation include foods that have been temperature abused; foods that have been served to a customer's table; spoiled foods; foods exposed to potential contamination by severe package damage; and sharply dented or rusty cans.

Food Donation by Food Processors

Food processors are encouraged to donate foods that may not meet their specifications for reasons that do not affect food safety, such as package printing errors. Each food package may lack complete labeling required for commercial distribution, as long as the charitable distributing organization is given enough information to mark each container with the common name of the food. At least one accurate, complete label must be provided with each master carton.



Distressed Foods

Foods that have been stored for a long time, gone through a fire, or suffered another disaster may still be safe. Contact the food safety program of the local health agency to see if these foods can be safely donated under the specific circumstances involved.

Important Note: Before making your donation, contact the DONATED FOOD DISTRIBUTING ORGANIZATION to make sure they will accept the type of food you intend to donate.

FOODS UNSUITABLE FOR DONATION

- Certain foods are not suitable for donation because of safety concerns. These foods include:
- Home canned, vacuum-packed or pickled foods.
- Foods in soiled containers.
- Perishable foods past a “use by” date, unless frozen.
- Foods in sharply dented or rusty cans.
- Foods in opened or torn containers exposing the food to potential contamination.
- Unpasteurized milk.
- Foods with an “off” odor.
- Foods prepared, cooked, cooled, or reheated at home (except for baked goods).

SAFE FOOD HANDLING PRACTICES

Training

Although training is not a requirement for preparing food donations, food safety classes explain the food safety precautions required with feeding large groups. Many local health agencies, WSU Cooperative Extension offices, and food industry associations give short classes on food safety.

Personnel

A knowledgeable group leader with food safety training and a Washington State Food Worker Card, if possible, should be selected to organize the food preparation efforts. Children under 10 years old should only handle wrapped foods, raw produce, and raw dry food staples to limit the potential for food safety errors. Food workers who are ill should not handle or prepare food.

Handwashing

Proper handwashing facilities and supplies (soap, warm running water, and paper towels) must be convenient for all food handlers.

All food handlers should wash their hands before beginning work, and after:



- Going to the restroom.
- Coughing or sneezing into their hands.
- Handling raw meat.
- Eating, smoking, or drinking.
- Caring for children.
- Hands become dirty.

Preventing Bare Hand Contact

To prevent the spread of germs, it is important to keep bare hands from touching foods that will not be cooked or washed before being eaten. Utensils (such as forks, ladles, tongs, paper squares) or gloves can be used to prevent bare hand contact. Utensils need to be cleaned and sanitized between uses.

Food safety gloves are intended to protect the food from hand contact rather than to protect the wearer. Gloves need to be changed when they are torn or after tasks where they become soiled. A cut on the hand should be covered by a clean bandage and a glove.

Food Storage

Dry goods, canned food, and fresh produce may be stored in a private home away from pests, pets, and household chemicals. Commercially frozen food can be stored in a home-style freezer, as long as the food remains frozen hard. Other foods should be stored in a DONOR KITCHEN, rather than in a home.

Packaged food should be donated in its original, unopened packaging with ingredient labels. If bulk food staples such as flour, sugar, dry beans, and dry grains are repackaged for donation, the common name of the food item should be written on each container.

Food Transportation

Temperature control and prevention of cross contamination are important food safety measures while transporting food. Potentially hazardous foods that need to be kept hot or cold need to be transported quickly in insulated containers that protect against contamination. Whenever possible, prepare and cook the food at the feeding location to reduce the food safety risk.

Potentially Hazardous Foods

Certain foods, called potentially hazardous foods, let bacteria grow quickly. It is important to keep these foods at safe temperatures to prevent bacteria from growing.

Potentially hazardous foods include items such as meats, poultry, fish, eggs, dairy products, tofu, all cooked vegetables (including cooked beans, rice, and potatoes), seed sprouts, sliced melons, and garlic and other fresh herbs in oil mixtures.



Temperature Danger Zone

Potentially hazardous foods must be kept out of the danger zone (41°F - 135°F) for safety. A safe guideline is to make sure that food is not in the danger zone for more than 4 hours during all steps of handling, transportation, and serving. Foods should be discarded after 4 hours in the danger zone. Cook foods at the feeding site and serve them immediately, rather than cool the foods to reheat later.

Avoid cooling foods in a DONOR KITCHEN for later reheating. DONOR KITCHENS usually lack commercial-grade refrigeration capable of rapidly cooling large batches of food.

Cooking Temperatures

Animal foods need to be cooked until well done. Using a metal stem thermometer to measure the middle of the food is the best way to determine complete cooking.

These following final cooking temperatures are recommended by the USDA.

- Eggs: 145°F (or until firm)
- Pork: 160°F
- Seafood: 145°F
- Ground Poultry: 165°F
- Beef: 145°F
- Casseroles, Poultry Stuffing: 165°F
- Hamburger: 160°F
- Whole Poultry: 180°F

Dishwashing

Dishes need to be washed and sanitized between uses. An automatic dishwasher with a 155°F sanitizing cycle may be used. If dishes are cleaned by hand, a three-step process using three different basins should be used to (Basin 1) wash with detergent; (Basin 2) rinse off the detergent; and (Basin 3) sanitize. To make a sanitizer, mix one teaspoon of unscented chlorine bleach in one gallon of water. Dishes should be allowed to soak in the sanitizer for at least 30 seconds and allowed to air-dry after the sanitizing step.

Cross Contamination

Cross contamination is when germs from raw foods are spread to other foods. Common causes of cross contamination include food worker hands, raw meats or poultry that drip on other foods, and countertops and cutting boards that are not properly cleaned between uses.

To prevent cross contamination:

- Store raw meats below other foods.
- Store raw produce away from washed, ready-to-eat produce.
- Thoroughly wash and sanitize surfaces that have touched raw meats and poultry.
- Wash hands often, especially after handling raw meats.



Allergies

Many people have food allergies that can cause severe reaction. Common causes of allergic reactions are peanuts, tree nuts, eggs, soy, wheat, seafood, and milk products. To help protect the safety of food recipients, it is best to provide the DONATED FOOD DISTRIBUTING ORGANIZATION a list of all the ingredients in any food you prepare. Maintain original labels on donated commercially packaged foods. If bulk food staples (such as flour, sugar, dry beans, dry grains) are repackaged for donation, the common name of the food should be written on each package.

DONOR Information:

DONORS will need to be prepared to provide the DONATED FOOD DISTRIBUTING ORGANIZATION that receives the food the following information, verbally or in writing:

- Source of the food.
- How the food was kept free from contamination during storage, preparation and transport.
- How, where, and when the food was prepared.
- How the food was kept hot or cold.
- How long the food was kept in the temperature danger zone.
- Common name of a dry food staple, if repacked from the original container.